

RECEIVED
CENTRAL FAX CENTER

FEB 28 2005

Docket No. 004518/00019

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:	West et al.	EXAMINER:	Vestal, R.M.
SERIAL NO.:	10/074,219	GROUP:	1753
FILED:	12 February 2002	CONF. NO.:	6185
FOR:	Combination pH Electrode with Stable Standard Potential		

COMMISSIONER FOR PATENTS

P.O. BOX 1450

ALEXANDRIA, VA 22313-1450


FILED VIA FACSIMILE TO: (703) 872-9306 (8 Total Pages)

Sir:

CORRECTED
OFFICE ACTION RESPONSE UNDER 37 C.F.R. § 1.111

In response to the Notice of Non-Compliant Amendment dated 22 February 2005 (copy attached) please enter the attached "corrected pages" of the Claim Listing portion of the Amendment filed on 03 February 2005.

Respectfully submitted,



Ernest V. Linek (Reg. No. 29,822)

Attorney for Applicant

BANNER & WITCOFF, LTD.

28 State Street, 28th Floor

Boston, MA 02109-1775

Tel: (617) 720-9600

Fax: (617) 720-9601

E-Mail: ELinek@bannerwitcoff.com

Date: February 28, 2005